



TRANSMITTAL FORM  (to be used for all correspondence after initial filing)	Application Number	09/838,866	
	Filing Date	April 20, 2001	
	First Named Inventor	Samuel C. Weaver	
	Art Unit	3643	
	Examiner Name	Nguyen, Son T.	
Total Number of Pages in This Submission	71	Attorney Docket Number	01-211

ENCLOSURES (Check all that apply)		
<input type="checkbox"/> Fee Transmittal Form	<input type="checkbox"/> Drawing(s)	<input type="checkbox"/> After Allowance Communication to TC
<input type="checkbox"/> Fee Attached	<input type="checkbox"/> Licensing-related Papers	<input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences
<input type="checkbox"/> Amendment / Reply	<input type="checkbox"/> Petition	<input checked="" type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
<input type="checkbox"/> After Final	<input type="checkbox"/> Petition to Convert to a Provisional Application	<input type="checkbox"/> Proprietary Information
<input type="checkbox"/> Affidavits/declaration(s)	<input type="checkbox"/> Power of Attorney, Revocation Change of Correspondence Address	<input type="checkbox"/> Status Letter
<input type="checkbox"/> Extension of Time Request	<input type="checkbox"/> Terminal Disclaimer	<input type="checkbox"/> Other Enclosure(s) (please identify below):
<input type="checkbox"/> Express Abandonment Request	<input type="checkbox"/> Request for Refund	
<input type="checkbox"/> Information Disclosure Statement	<input type="checkbox"/> CD, Number of CD(s) _____	
<input type="checkbox"/> Certified Copy of Priority Document(s)	<input type="checkbox"/> Landscape Table on CD	
<input type="checkbox"/> Response to Missing Parts/Incomplete Application	Remarks	
<input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53		

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT			
Firm Name	Cohen & Grigsby, P.C.		
Signature			
Printed name	Frederick L. Tolhurst		
Date	June 6, 2005	Reg. No.	28,123

CERTIFICATE OF TRANSMISSION/MAILING			
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:			
Signature			
Typed or printed name		Date	

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

06-7-05

AFIPU

CERTIFICATE OF MAILING BY "EXPRESS MAIL" (37 CFR 1.10) Applicant(s): Samuel C. Weaver			Docket No. 01-211	
Application No. 09/838,866	Filing Date April 20, 2005	Examiner Nguyen, Son T.	Customer No. 30058	Group Art Unit 3643

Invention: Metal Matrix Composite Horseshoe

I hereby certify that the following correspondence:

1 Transmittal Form (1 pg); 1 APPLICANT'S REPLY BRIEF TO EXAMINER'S ANSWER DATED APRIL 5, 2005 with Exhibit A (23 pgs) in triplicate; 1 return receipt card

(Identify type of correspondence)


is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

June 6, 2005

(Date)

Karin J. Hoover

(Typed or Printed Name of Person Mailing Correspondence)



(Signature of Person Mailing Correspondence)

EV 465895896 US

("Express Mail" Mailing Label Number)

Note: Each paper must have its own certificate of mailing.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Samuel C. Weaver

Serial No. 09/838,866

Filed: April 20, 2001

Art Unit: 3643

Patent Examiner: Nguyen, Son T.

Our Ref: 01-211

Customer No. 30058

METAL MATRIX
COMPOSITE HORSESHOE

Mail Stop Appeal Brief-Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

June 6, 2005

APPLICANT'S REPLY BRIEF TO EXAMINER'S ANSWER DATED APRIL 5, 2005

This appeal is to decide whether, considering Eom¹ in view of Weaver '607², the invention of Claims 1-16 was obvious to one of ordinary skill in the art at the time that the invention was made.

The claimed invention is a "horseshoe" that has "improved vibration damping and stiffness". The horseshoe is made of a composition that is selected from the field of "metal matrix composites". The selected metal matrix composite is composed of a metal selected from the group of aluminum, magnesium, titanium and mixtures thereof and silicon boride selected from the group of silicon hexaboride and silicon tetraboride and mixtures thereof. (Appl. Pg. 2,

¹ U.S. Patent No. 5,344,607 to Eom et al.

² U.S. Patent No. 5,573,607 to Weaver.

lines 4-7, 13 and 14; and Weaver (incorporated by reference, pg. 2, lines 14, 15) Col. 1, lines 10-14; Col. 2, lines 1-6; Col. 2, lines 24-25; Col. 2, lines 53-56; Col. 2, line 65 – Col. 3, line 3; Col. 3, lines 14-18).

The Examiner must show, by a preponderance of the evidence of record, that it is more probable than not that the claimed invention is unpatentably obvious over Eom in view of Weaver '607. *In re Eli Lilly & Co.*, 902 F.2d 943 (Fed. Cir. 1990); *In re Oetiker*, 977 F.2d 1443 (Fed. Cir. 1992). The Examiner's Answer dated April 5, 2005 merely reaffirms that the Examiner's positions are contrary to the facts of record in this appeal and that the claimed invention is patentable over Eom in view of Weaver '607.

Examiner's Answer Dated April 5, 2005

The Examiner's Answer dated April 5, 2005 (herein "Ex. Ans. II") repeats and re-alleges the same contentions as the Examiner's Answer dated October 7, 2004 (herein "Ex. Ans. I"). The Applicant previously responded to Ex. Ans. I in Applicant's Reply Brief dated November 12, 2004, a copy of which is appended hereto as Exhibit A. Accordingly, Applicant hereby incorporates by reference Applicant's Reply Brief dated November 12, 2004 and repeats and re-alleges all of the statements and arguments thereof as if fully set forth herein.

In addition, Applicant further states herein that Ex. Ans. II confirms that the rejection of the claims is grounded in fundamental error with no support anywhere in the record on appeal.

Additional Remarks

Ex. Ans. II is built on a misconstruction of the plain meaning of the words that describe and claim the Applicant's invention. In the claims and throughout the specification, the Applicant describes the invention as a "horseshoe" that is made from a "metal matrix composite".

Ex. Ans. II argues that Eom discloses "a metal alloy selected from aluminum, magnesium and titanium and mixtures thereof" and that such composition is a "metal matrix composite" as described in the subject application. It is not. Eom teaches a metal alloy, not a metal matrix composite. As essential as it may be to the Examiner's argument, "metal alloys" are not "metal matrix composites".

The record clearly establishes that those of ordinary skill in the art knew a "metal matrix composite" to be a metallic matrix in combination with a physical reinforcing constituent. In contrast, in metal alloys, the alloy's atoms combine with the parent metal's crystal lattice. Weaver II Decl. ¶¶ 8-18³, Response to Official Action, pp. 2, 3⁴, Introduction to Metal Matrix Composites⁵, The Structure of Metal, pp. 1-3⁶, and Appeal Brief dated November 12, 2004, p. 8. Thus, those skilled in the art distinguish "metal alloys" wherein the alloy and the parent metal combine at the atomic level from "metal matrix composites" wherein a reinforcing constituent does not combine with the metal matrix at the atomic level.

³ Declaration of Samuel C. Weaver dated August 21, 2003 (herein cited as "Weaver II Decl. ").

⁴ Applicant's Response to Official Action dated August 22, 2003.

⁵ "An Introduction to Metal Matrix Composites," T.W. Clyne and P.J. Withers, pp. 1-70, Cambridge University Press, 1993.

⁶ "The Structure of Metal," Bob Capudean, The Fabricator.com, April 24, 2003.

Ex. Ans. II does not even contend that Eom discloses a "metal matrix composite"! Ex. Ans. II admits that it merely uses "metal alloy" interchangeably with "metal matrix composite"! (Ex. Ans. II, pg. 3, lines 8-13). The Examiner offers only conjecture that, contrary to the record, "metal matrix composites" are the same as "metal alloys". Nothing in the application or any of the references suggests such an equivalency. On the contrary, the file history clearly demonstrates that those terms have very different meanings and are not interchangeable!

In an attempt to redefine "metal matrix composite", the Examiner asserts that the meaning of "metal matrix composite" is "unclear". Purporting to rely on the specification, the Examiner then "finds that the definition of a metal matrix composite is simply a material that is formed by a molten metal selected from aluminum, magnesium, titanium and mixtures thereof." (Ex. Ans. II, pg. 3, line 22 – pg. 4, line 4). The Examiner offers no explanation as to how the meaning of "metal matrix composite" is "unclear". On the contrary, Ex. Ans. II admits that the specification defines "metal matrix composite" as "molten metal selected from the group consisting of aluminum, magnesium, titanium and mixtures thereof.... Then silicon boride is added to create this metal matrix composite horseshoe...." (Ex. Ans. II, pg. 3, lines 16-19). Similarly, the Examiner offers no clues as to the language of the specification on which she relies to support the critical "finding" that a metal matrix composite is "simply a material that is formed by a molten metal selected from aluminum, magnesium, titanium and mixtures thereof". It is certainly not found in Claim 1 or on pages 2 or 3 of the specification! There, the specification clearly explains that the selected metal matrix composite is composed of a metal selected from the group of aluminum, magnesium, titanium and mixtures thereof and silicon boride selected from the group of silicon hexaboride and silicon tetraboride and mixtures thereof.

Ex. Ans. II concedes that the metal alloy of Eom does not have silicon boride! The Examiner still insists that, somehow, it would be obvious to modify the metal alloy of Eom in light of the metal matrix composite that is taught in Weaver '607 to arrive at a metal alloy. However, Ex. Ans. II does not explain how that combination is expected to transform Eom into a metal matrix composite.

Even if Eom were to be transformed into a metal matrix composite, there is nothing in either Eom or Weaver '607 to suggest their combination. The Examiner refers to a teaching in Weaver '607 that metal matrix composites are "stronger" than the counterpart pure metals. (Weaver '607, Col. 1, lines 8-14; Ex. Ans. II, pg. 4, lines 7-9). However, the claimed horseshoe does not specify material "strength". It requires "improved vibration damping and stiffness". Nothing in the subject application or any of the references equates material "strength" with "vibration damping and stiffness". Those properties are not the same. Accordingly, a teaching in Weaver '607 as to material "strength" offers no support for the Examiner's contention that the cited references would cause one skilled in the art to combine Eom and Weaver '607 to improve "vibration damping and stiffness". Weaver I Decl. ¶¶ 13-18.⁷

Ex. Ans. II also attempts to create obviousness by confusing ductility with stiffness. Ex. Ans. II extrapolates a statement in Eom that the horseshoe should have "ductility so that its shape may be changed a little to correctly fit on the horsehoof" into a teaching that the horseshoe will also have stiffness. Ex. Ans. II, pg. 6, lines 4-7. However, this is nothing more than the Examiner's own creation and is not supported by any teaching of Eom. The Examiner's

⁷ Declaration of Samuel C. Weaver dated January 13, 2003 (herein cited as Weaver I Decl.).

mischaracterization of Eom cannot change the fact that Eom has no teaching that the horseshoe requires both "stiffness" and "vibration damping" as required by the subject claims.

Apparently conceding the weakness of its primary argument, Ex. Ans. II also contends that it would be obvious for one skilled in the art to make a wholesale substitution of the metal matrix composite of Weaver '607 for the metal alloy of Eom. The only support for making that substitution is a pretense that this would be merely a matter of obvious choice. (Ex. Ans. II, pg. 4, lines 14-20) Ex. Ans. II offers no reasoning to support that conclusion.

According to the facts of record, at the time that the invention was made it was not a matter of obvious design choice to make such a wholesale substitution. The claims require a "horseshoe" that has "improved vibration damping and stiffness". The record of this application is that those skilled in the art would not recognize the parameter of "vibration damping and stiffness" as being found in the metal matrix composite of Weaver '607. Weaver I Decl. ¶¶ 13-18; and Weaver II Decl. ¶¶ 11-15, 19. That fact is uncontroverted. The "vibration damping and stiffness" in the composite described in Weaver '607 was unknown to those skilled in the art. Weaver I Decl. ¶¶ 9, 11, 13-16, 18 and 19; and Weaver II Decl. ¶¶ 9, 11, 15 and 19. It was surprising to the inventor of Weaver '607 when he later discovered this property! (Weaver I Decl. ¶¶ 13-19; and Weaver II Decl. ¶¶ 11-19). Accordingly, it cannot be properly said that combining the Eom and Weaver '607 references to achieve a result that was not known from either reference would be obvious.

Next, the Examiner argues that the properties of "stiffness" and "vibration damping" were not unexpected because they were inherent in Weaver '607. Ex. Ans. II, pg. 5, lines 4-6. The Examiner quarrels that merely because Weaver '607 does not teach that the metal matrix

composite has both stiffness and vibration damping, that does not mean that it does not exist in the material. This argument is inapposite and completely misses the point of the claimed invention. The constancy of material properties is not the issue for decision and is not a proper basis for denying patentability of the subject claims. The reason for rejection and the sole issue for decision is whether the claimed invention, a horseshoe, is obvious in light of Eom and Weaver '607 as known at the time that the invention was made.

The issue is: "Given the knowledge at the time of the invention, would it have been obvious for one skilled in the art to have made the various combinations that the Examiner now proposes? The answer is "no" because the material in Weaver '607 was not known to have the "stiffness" and "vibration damping". (Weaver I Decl. ¶¶ 15-19; and Weaver II Decl. ¶¶ 15-18). It is beyond cavil that Weaver '607 does not teach both stiffness and vibration damping and that those parameters were not known to those skilled in the art at the time of the invention. The declaration of the inventor of Weaver '607 so states. (Weaver I Decl. ¶ 18; and Weaver II Decl. ¶ 18). Under those circumstances, how could it have been obvious for one to use the material in Weaver '607 to make a combination with Eom that was intended to result in a horseshoe having "stiffness" and "vibration damping"? The answer, of course, is that it was not obvious.

According to the Examiner's argument, Edison's light bulb was unpatentably obvious because the filament had the same properties before and after Edison's invention. However, Edison did not invent the filament material - he invented the light bulb. The test for obviousness was: "When the critical properties of the filament are unknown, would it have been obvious for one skilled in the art to select that material as a filament?"

Similarly, the question here is: "Would one have obviously selected the material described in Weaver '607 to make a "horseshoe" having "improved vibration damping and stiffness" without knowing that the material itself afforded "improved vibration damping and stiffness"? Of course such a selection was not obvious and the Examiner's proposed combination is argued to be obvious only in hindsight of the Applicant's own teachings. Ex. Ans. II offers no precedent or authoritative support for any theory by which it somehow becomes obvious to combine references by relying on properties of a material that are not known to exist prior to the time of the purported combination.

The sum of the Examiner's contentions seems to be that since Eom teaches making horseshoes of metal and Weaver '607 teaches replacing certain metals with metal matrix composites, it somehow becomes obvious to substitute the metal matrix composite of Weaver '607 for any metal alloy – no matter what application is made of the metal and notwithstanding that the properties that are desired in the ultimate product are unknown in the metal matrix composite. In fact, Ex. Ans. II does not purport that the combination would achieve "improved vibration damping and stiffness". According to the Examiner, the combination would "not change the performance of Eom's horseshoe". (Ex. Ans. II, page 6, lines 1-7). However, in that case there is no motivation for one skilled in the art to attempt the Examiner's combination of Eom with Weaver '607. The Examiner's argument also suffers from the further difficulty that neither Eom nor Weaver '607 describe or suggest that the combination would produce a horseshoe with "improved vibration damping and stiffness". That distinction is only learned from the subject application.

The Examiner concedes that she is relying on hindsight reasoning. Ex. Ans. II, pg. 6, lines 10-13. But, she quarrels that her reasoning “takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made”. Ex Ans. II, pg. 6, lines 13-16. However, the contention that one skilled in the art was aware that the Weaver ‘607 metal matrix composite exhibited both "stiffness" and "vibration damping" is not supported by Weaver '607, Eom or any other document in the application on appeal. To the contrary, the Weaver Declarations state exactly the opposite! The Weaver Declarations state that it was not known that the Weaver ‘607 metal matrix composite exhibited both stiffness and vibration damping! (Weaver I Decl. ¶¶ 8, 9, 11, 15-18; and Weaver II Decl. ¶¶ 9, 11, 14-19.) The Examiner does not cite any reference for that information because that information is found only in the Applicant’s disclosure.


Conclusion

Ex. Ans. II concedes that the Examiner draws no distinction between metal matrix composites and metal alloys. Although the Examiner makes no such distinction, the differences are well known to those skilled in the art. The record of this application amply demonstrates this fact. The rejection of the claims is improper because it is based on combining a refusal to acknowledge distinctions in the art that have been specifically documented in the record with knowledge that is found only in the Applicant's own teachings. Accordingly, allowance of Claims 1-16 is respectfully requested.

The Commissioner is hereby authorized to charge Deposit Account No. 03-2026 for any fees associated with this Reply Brief.

Respectfully submitted,

By:

A handwritten signature in black ink, appearing to read 'Frederick L. Tolhurst', written over a horizontal line.

Frederick L. Tolhurst
U.S. PTO Reg. No. 28,123
Cohen & Grigsby, P.C.
11 Stanwix Street, 15th Floor
Pittsburgh, PA 15222
(412) 297-4900

974503_1

Exhibit A

Applicant's Reply Brief dated November 12, 2004




Exhibit A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Samuel C. Weaver

Serial No. 09/838,866

Filed: April 20, 2001

Art Unit: 3643

Patent Examiner: Nguyen, Son T.

Our Ref: 01-211

Customer No. 30058

METAL MATRIX
COMPOSITE HORSESHOE

Mail Stop Appeal Brief-Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

November 12, 2004

APPLICANT'S REPLY BRIEF

This appeal is to decide whether the claimed invention would be obvious to one of ordinary skill in the art considering Eom in view of Weaver. The determination of patentability is to be based on a preponderance of evidence when considering the entire record. *In re Oetiker*, 977 F.2d 1443 (Fed. Cir. 1992). With regard to rejections under 35 U.S.C. §103, the Examiner must provide evidence which as a whole shows that the legal determination sought to be proved is more probable than not. *In re Eli Lilly & Co.*, 902 F.2d 943 (Fed. Cir. 1990). In contrast to meeting this standard, the Examiner's Answer merely serves to underscore that the claimed invention is patentable over Eom in view of Weaver.

The claimed invention requires a “metal matrix composite horseshoe” that has “improved vibration damping and stiffness”. The meaning of the term "metal matrix composite" as used throughout the application is clear. The application teaches and claims that the metal matrix composite is: (1) a metal in combination with (2) a silicon boride. The metal is selected from the group of aluminum, magnesium, titanium and mixtures thereof. The silicon boride is selected from the group of silicon hexaboride and silicon tetraboride and mixtures thereof. (Appl. Pg. 2, lines 4-7, 13 and 14; and Weaver (incorporated by reference, pg. 2, lines 14, 15) Col. 1, lines 10-14; Col. 2, lines 1-6; Col. 2, lines 24-25; Col. 2, lines 53-56; Col. 2, line 65 – Col. 3, line 3; Col. 3, lines 14-18).

Examiner's Misconstruction of the Claimed Invention

The Examiner's Answer demonstrates that the rejection of the claims in this case is based on a fundamental misconstruction of the plain meaning of the words that describe and claim the Applicant's invention. In the claims and throughout the specification, the Applicant describes the invention as a horseshoe that is made from a "metal matrix composite". To support the rejection under §103, the Examiner conjectures that "metal matrix composites" are the same as "metal alloys". Indeed, the Examiner admits that she uses "metal alloy" interchangeably with "metal matrix composites". (Examiner's Answer, pg. 3, lines 12-13). However, nothing in the application or any of the references suggests such an equivalency. On the contrary, the file history clearly demonstrates that those terms have very different meanings and are not interchangeable!

The application consistently describes the material of the claimed horseshoe as a "metal matrix composite." The term "metal matrix composite" is used in the specification and claims 13 times. The application never describes the material of the claimed horseshoe as a pure metal or as a metal alloy. As known to those of ordinary skill in the art, a "metal matrix composite" is a metallic matrix in combination with a physical reinforcing constituent. In contrast, in metal alloys, the alloy's atoms combine with the parent metal's crystal lattice. Weaver Decl. ¶¶ 8-18¹, Response to Official Action, pp. 2, 3², Introduction to Metal Matrix Composites³, The Structure of Metal, pp. 1-3⁴, and Appeal Brief, p. 8. Thus, those skilled in the art recognize that in metal alloys the alloy and the parent metal combine at the atomic level whereas in metal matrix composites, the reinforcing constituent does not combine with the metal matrix at the atomic level.

In opposition to this body of information, the Examiner offers an unsupported assertion that "metal matrix composite" is defined as a "material that is formed by a molten metal selected from aluminum, magnesium, titanium and mixtures thereof". She claims to rely on the specification for this conclusion. (Examiner's Answer, pg. 4, lines 1-4). This is plain error. The Application defines the "metal matrix composite" as the combination of (1) a metal selected from the group of aluminum, magnesium, titanium and mixtures thereof with (2) silicon boride selected from the group of silicon hexaboride and silicon tetraboride. (Appl. Pg. 2, lines 4-7, 13 and 14; and Weaver (incorporated by reference, pg. 2, lines 14, 15) Col. 1, lines 10-14; Col. 2,

¹ Declaration of Samuel C. Weaver dated August 21, 2003 (herein cited as "Weaver Decl. ¶ ____").

² Applicant's Response to Official Action dated August 22, 2003.

³ "An Introduction to Metal Matrix Composites," T.W. Clyne and P.J. Withers, pp. 1-70, Cambridge University Press, 1993.

⁴ "The Structure of Metal," Bob Capudean, The Fabricator.com, April 24, 2003.

lines 1-6; Col. 2, lines 24-25; Col. 2, lines 53-56; Col. 2, line 65 – Col. 3, line 3; Col. 3, lines 14-18).

The application's use of "metal matrix composite" is totally consistent with the meaning of that term as used in the art. The Examiner's statement is directly opposed to the use of that term as it is understood in the art. It has no support in the record and is without merit. The argument that the term "metal alloy" is interchangeable with "metal matrix composite" is not based on any reasonable construction of any language in the application or the file history and is contrary to information generally known to those skilled in the art. The Examiner's Answer does not (and cannot) cite any portion of the application to support such a contention.

In addition to the fact that the Examiner's equivalency of "metal matrix composite" with "metal alloy" is contrary to the application, the Examiner's position also ignores Weaver's Declaration, the Response to Official Action, the reference entitled "Introduction to Metal Matrix Composites" and the reference entitled "The Structure of Metal". All of those documents explain that it was known in the art that "metal matrix composites" are different than "metal alloys".

The decision on patentability must be made upon consideration of all the evidence, including the evidence submitted by the Applicant. *In re Eli Lilly & Co.*, 902 F.2d 943 (Fed. Cir. 1990). In *In re McLaughlin*, 443 F.2d 1392 (CCPA 1971) (cited in Examiner's Answer), the CCPA reversed the Board and allowed a claim for which the Applicant had submitted a supporting affidavit. The Court found that it is "imperative" that such affidavits be evaluated in determining whether the claimed invention was unpatentable under §103. *McLaughlin* @ 1395. However, instead of citing the record in this Appeal, the Examiner mischaracterizes the specification and ignores the remainder of a file history that further explains that metal matrix

composites are not metals and are not metal alloys. (Weaver Decl. ¶11, The Structure of Metal; and An Introduction to Metal Matrix Composites).

Examiner's Combination of Eom and Weaver Fails to Produce the Claimed Invention

The Examiner's proposed combination of references relies principally on the metal alloy of Eom. (Examiner's Answer, pg. 3, lines 19-22). Eom describes a horseshoe that is made of an Al-Mg alloy. Eom selected that alloy because it is said to be ductile and shock absorbing. To make the horseshoe more abrasion resistant, Eom limits Mg content and adds Zn. (Eom, Col. 2, line 16-21). Eom describes the horseshoe as an "alloy" or "alloy metal" fourteen times. Never once does Eom indicate that the horseshoe could be a "metal matrix composite" material.

The Examiner proposes to add to Eom's metal alloy the further ingredient of silicon boride. (Examiner's Answer, pg. 4, lines 10-14). Weaver is cited as teaching that silicon boride can be added to molten metal. (Examiner's Answer, pg. 4, lines 6-9). Eom does not describe or suggest the use of a metal matrix composite. Eom is directed to a horseshoe that is made of a metal alloy. Thus, the Examiner proposes to combine Eom and Weaver so as to produce a horseshoe made of a metal alloy that includes silicon boride.

However, Claim 1 does not require a metal alloy. Claim 1 requires a metal matrix composite which, as explained extensively in the file history of this application, is not a metal alloy. (Appeal Brief, pg. 8; Response to Official Action, pp. 2-3, Introduction to Metal Matrix Composites; The Structure of Metal; and Weaver Decl. ¶¶ 10, 11). Therefore, even if Eom and Weaver could be properly combined as the Examiner proposes, that combination yields a metal

alloy and not a metal matrix composite. Thus, the Examiner's combination of Eom and Weaver does not produce the claimed invention!

The Combination of Eom and Weaver is Improper

To prevent hindsight reconstruction of various elements that might exist, the Federal Circuit requires rigorous application of the tests regarding whether references should be combined. Thus, the law requires the existence of some teaching, suggestion, reason or motivation to combine prior art references. *McGinley v. Franklin Sports, Inc.* 262 F.3d 1339 (Fed. Cir. 2001). The mere level of skill in the art cannot be relied upon to provide the suggestion to combine references. *Al-Site Corp. v. VSI Int'l Inc.*, 174 F.3d 1308 (Fed. Cir. 1999).

The Examiner admits that she relied on hindsight reasoning in rejecting the claims. (Examiner's Answer, pg. 6, lines 10-13). Still, she argues that one of ordinary skill in the art would have been led to modify Eom by adding silicon boride material according to Weaver for the purpose of making the horseshoe "stronger". (Examiner's Answer, pg. 4, lines 7-14). Claim 1 requires a horseshoe having improved properties of "vibration damping and "stiffness". The Examiner's argument for a motivation to combine Eom and Weaver necessarily (but incorrectly) equates properties of "vibration damping" and "stiffness" with the property of "strength".

"Vibration damping" and "stiffness" of a material are not the same properties as "strength" of a material. The Examiner offers nothing to support the notion that those properties are equivalent. Yet, the Examiner's Answer asserts, without explanation, that one seeking improved "vibration damping" and "stiffness" would base their selection on a different property -

material "strength". This argument illogically ignores all differences between properties of "vibration damping," "stiffness" and "strength".

Furthermore, the Examiner's proposed combination is against the teachings of Eom. A prior art reference must be considered as a whole, including portions that tend to lead away from the claimed invention. *W.L. Gore & Associates, Inc. v. Garlock, Inc.*, 721 F.2d 1540 (Fed. Cir. 1983, cert denied, 469 U.S. 851 (1984)). Eom does not suggest that the horseshoe needs greater strength. On the contrary, Eom teaches the substitution of a metal horseshoe with an Al-Mg alloy in order to develop a lighter, more ductile, shock absorptive, and abrasion resistant horseshoe. Nothing in Eom suggests that the metal alloy described therein is intended to make the horseshoe stronger. On the contrary, Eom teaches to make the horseshoe softer. Clearly, one skilled in the art would not look to Weaver to strengthen the horseshoe of Eom when Eom is proposing an alloy that makes the metal softer not stronger.

Looking to the teachings of Weaver to provide a horseshoe with improved properties of "vibration damping" and "stiffness" can only be based on the teachings of the Applicant. The Examiner contends that she did not rely on information that was "gleaned only from the applicant's disclosure." However, the only description of a metal matrix composite as claimed in Claim 1 with improved "vibration damping" and "stiffness" is found in the Applicant's own specification. Such teachings are not found in either Eom or Weaver. Indeed, the Examiner concedes that no such teaching is found in Weaver. (Examiner's Answer, pg. 6, lines 21, 22). Combining Eom and Weaver does not somehow produce teachings that are not found in either reference individually.

Examiner's Inherency Argument

The Applicant has explained that at the time the invention was made the performance of the metal matrix composite horseshoe was surprising. The performance was surprising because the "vibration damping" characteristic of the metal matrix composite was unknown at the time of Eom and Weaver. (Weaver Decl. ¶¶ 4-9, 13-19). The "vibration damping" property was discovered by the Applicant at a later time. (Appeal Brief, pp. 17, 18; Weaver Decl. ¶¶ 9, 14, 15, 16, 17). In reply, the Examiner speculates that the stiffness characteristic must have been expected because it is inherent in the metal matrix material. (Examiner's Answer, pg. 5, lines 13, 14).

The knowledge in the prior art at the time the invention was made does not support the Examiner's conclusion that it would be obvious to combine Weaver with Eom to arrive at a horseshoe that provides better stiffness and vibration damping. Obviousness cannot be predicated on what is not known at the time an invention is made, even if the inherency of a certain feature is later established. *In re Rijckaert*, 9 F.3d 1531 (Fed. Cir. 1993). In the subject application, the vibration damping property of the metal matrix composite was unknown and could not have been reliably predicted. (Weaver Decl. ¶¶ 9-16). The only way of ascertaining the vibration damping property was by experimentation. (Weaver Decl. ¶¶ 14, 15, 16). The mere fact that references can be combined or modified does not render the resultant combination obvious unless the prior art also suggests the desirability of the combination. *In re. Mills*, 916 F.2d 680 (Fed. Cir. 1990). The Examiner offers no explanation as to why anyone skilled in the art would attempt to substitute Weaver when it was not known at the time that the material described in Weaver afforded greater vibration damping. Instead, the Examiner presumes that

the "vibration damping" should have been anticipated. However, this is contrary to the facts of record which show that the vibration was not known and that one normally skilled in the art could not properly assume its existence. (Weaver Decl. ¶¶ 8-16).

Ultimately, the Examiner's contention seems to be that one skilled in the art would be expected to randomly substitute various materials into Eom until the desired result was achieved – whether or not such materials were known to have high vibration damping. This "obvious to try" approach has been rejected by the Federal Circuit. *Ecolchem, Inc. v. Southern California Edison Co.*, 227 F.3d 1361 (Fed. Cir. 2000) reh'g denied, in banc suggestion declined, (December 13, 2000) and cert. denied, 121 S. Ct. 1607 (2001).

The Examiner's inherency argument completely avoids the point at issue. The issue for decision is: "Would the Eom/Weaver combination that the Examiner proposes make the claimed invention obvious to one normally skilled in the art? "Vibration damping" and "stiffness" properties are required by the horseshoe of Claim 1. Weaver does not teach that the metal matrix composite was known to have improved stiffness and vibration damping. (Examiner's Answer, pg. 6, lines 21, 22, Weaver Decl. ¶¶ 11-14). Therefore, there is no teaching or suggestion to combine Weaver and Eom. Without such teaching or suggestion, the proposed combination is improper. Essentially, the Examiner's contention supposes that one seeking a horseshoe with improved "vibration damping" and "stiffness" would accomplish that result by substituting materials that were not known to have those properties or to produce that result. Such an absurd proposition does not make the claimed invention unpatentable.

At the time that the invention was made, there must be some reason known in the art for making the substitution based on the suitability of that material. In *re Rijckaert, supra*. The

claimed invention requires that the material have a "vibration damping" property. Prior to the time of the invention, it was not known that the material that is described in Weaver had the property of "vibration damping". (Weaver Decl, ¶¶ 14-17). Since this was not known in the art, it would not have been obvious for one skilled in the art to select the metal matrix composite of Weaver for use in the claimed horseshoe.

Examiner's New Combination of Eom and Weaver (Disclaimed in Final Office Action)

In the Examiner's Answer, the Examiner may be suggesting a combination of Eom and Weaver that the Examiner expressly disavowed in the Final Office Action.⁵ The Final Official Action states "the [E]xaminer is not trying to replace the metal of Eom with the metal composition as taught by [the '607 Patent]".⁶ "The [E]xaminer is not replacing the already known aluminum."⁷

In what may be an assertion of the combination that was expressly denied in the Final Official Action, the Examiner now may be substituting the metal alloy of Eom with the metal matrix composite of Weaver. (Examiner's Answer, pg. 4, lines 14-20). The Examiner declares that it would have been an obvious design choice to substitute the metal matrix composite of Weaver on the basis of its suitability for the intended use.

This argument also fails. It would not have been obvious to combine Eom and Weaver to secure a horseshoe with improved vibration damping and stiffness because Eom and Weaver do not describe vibration damping and stiffness as selection criteria for horseshoes. Furthermore,

⁵ Official Action dated November 21, 2003.

⁶ Final Office Action, pg. 5, lines 16, 17.

⁷ Final Office Action, pg. 6, lines 16-18.

the materials in Eom and Weaver are not described as having stiffness and vibration damping. The only teaching that would suggest the use of the metal matrix composite is the Applicant's own teachings. However, those are not available to support the Examiner's obviousness theory.

Miscellaneous Comments in Examiner's Answer

The Examiner seems to contend that the Applicant never offered a technical explanation as to how the metal matrix material affords greater stiffness and, therefore, that result cannot be considered unexpected. (Examiner's Answer, pg. 5, lines 15-17). No authority is cited for this novel proposition. This notion stands the whole concept of inventiveness on its head and is clearly not the law. A newly identified property of a material that was previously unknown does not somehow become expected unless the property can be explained. Indeed, the novelty of many inventions is underscored by the fact that they cannot be explained.

Also, the Examiner urges that replacing Eom's metal alloy with Weaver's metal matrix composite does not change the performance of Eom's horseshoe. (Examiner's Answer, pg. 6, lines 1-4). This appears to argue against a motivation for making the combination at all and contends that even if the combination were made, it would not produce the claimed result! This amounts to nothing more than further evidence of the Examiner's failure to understand the meaning of "metal matrix composite."

Conclusion

The Examiner's Answer concedes that the Examiner draws no distinction between metal matrix composites and metal alloys. While the Examiner makes no such distinction, the


differences are well known to those skilled in the art. The record of this application amply demonstrates this fact. The Official Action cannot properly support a rejection of the claims that is based essentially on a refusal to acknowledge knowledge in the art that has been specifically documented in this record.

Accordingly, allowance of Claims 1-16 is respectfully requested.

The Commissioner is hereby authorized to charge Deposit Account No. 03-2026 for any fees associated with this Reply Brief.

Respectfully submitted,

By:



Frederick L. Tolhurst
U.S. PTO Reg. No. 28,123
Cohen & Grigsby, P.C.
11 Stanwix Street, 15th Floor
Pittsburgh, PA 15222
(412) 297-4900

912967_1